



CONTRABASS SERIES RRH 218s

Engineered for Impact: Experience Bass Like Never Before!

This highly-efficient, multi-load, 1600 watts dual 18" sub-woofer with double suspension is the main system to be used with the Cello series top cabinets. The sub has been designed to kick without losing its extended low-frequency response. Suitable for use in fixed installation and mobile application, the RRH 218s is an extremely versatile sub-woofer for integrators. It has been

specially designed for live bands and pounding nightclubs.

For demanding applications, the CSC Maestro MS 26 controller is configured to perform with it's EQ and limiter functions are pre-loaded in the controller.

CC 8, CF 10, CF 12, CF 15, CF 12h, RR 212h and RR 15h are a perfect match for RRH 218s

KEY FEATURES

- Compact, high-performance, multi-load, dual 18" sub-woofer
- · Easy to install
- · Can retrofit into existing venues
- Standard accessories include rubber feet & top hat

SYSTEM APPLICATIONS

- Nightclubs
- · Live performances





MODEL NO	RRH 218s
Туре	Multi loaded subwoofer
Frequency Response (1)	37 Hz-300Hz ± 3 dB
Drivers	LF: 2 x18" (450 mm) with a 4" (100 mm) voice coil
Recommended Amplifier Upto	2500 watts
Sensitivity (1 W / 1 m)	105 dB
Maximum SPL (9)	135 dB continuous, 141 dB Max
Nominal Impedance	4 ohms
Dispersion	Omni
Crossover	LPF 100 Hz
Enclosure	Baltic birch ply
Finish	Non-toxic Textured black paint
Protective Grill	Perforated steel
Connectors	2 x Neutrik NL8
Pin Connections	Input: ± 1, Link through: ± 2
Standard Colour	Black
Horn	NA
Nominal/ AES Power	1600 watts
Maximum/ Continuous/ Program Power	3200 watts
Peak Power	6400 watts
Accessories	Castors, Felted waterproof covers, Flying hardware
Dimensions - Product (in mm)	(W) 1191 x (H) 512 x (D) 901
Dimensions - Including packing (in mm)	(W) 1215 x (H) 560 x (D) 960
Net Weight (kgs)	83
Shipping Weight (kgs)	98

Mid highs measured on-axis in full space @ one watt/1-meter using band-limited pink noise in the en-devour to continuously improve the product with design refinements introduced into existing products. Any current CSC product may differ in some respect from its published description. However, this will always equal or exceed the original design specifications. Every CSC Product is built to the highest standards and tested to ensure that it meets the performance criteria specified.





