



## CONTRABASS SERIES RR 215s

Engineered for Impact: Experience Bass Like Never Before!

The Contrabass RR 215s is a reflex-loaded, dual 15" (375 mm), 1000 watt sub-woofer with a double suspension. It is the main system to be used with the Cello series top cabinets. The sub-woofer has been designed to kick without losing its extended low-frequency response. Suitable for use in fixed installation and mobile application, the RR 215s is an extremely versatile sub-woofer for integrators.

It has been specially designed for live bands and nightclubs.

For demanding applications, the CSC Maestro MS 26 controller is configured to perform with its EQ and limiter functions are pre-loaded in the controller. CC 8, CF 10, CF 12, CF 15, CF 12h, RR 212h and RR 15h are a perfect match for RR 215s.

### KEY FEATURES

- Compact, high-performance Band pass horn dual 15" subwoofer.
- Easy to install
- Can retrofit into existing venues
- Rubber feet & top hat

### SYSTEM APPLICATIONS

- Nightclubs
- Live application
- Lounges and Bars



MODEL NO	RR 215s
Type	Reflex loaded sub-woofer
Frequency Response (1)	39 Hz-250 Hz $\pm$ 3dB
Drivers	LF: 2 x15" (375 mm) with a 4" (100 mm) voice coil
Recommended Amplifier Upto	2000 watts
Sensitivity (1 W / 1 m)	100 dB
Maximum SPL (9)	130 dB continuous, 136 dB Max
Nominal Impedance	4 ohms
Dispersion	Omni
Crossover	LPF 100Hz
Enclosure	Baltic birch ply
Finish	Non-toxic Textured black paint
Protective Grill	Perforated steel
Connectors	2 x Neutrik NL8
Pin Connections	Input: $\pm$ 1, Link through: $\pm$ 2
Standard Colours	Black
Horn	NA
Nominal/ AES Power	1000 watts
Maximum/ Continuous/ Program Power	2000 watts
Peak Power	4000 watts
Accessories	Castors, Speaker poles, felted waterproof covers
Dimensions - Product (in mm)	(W) 962 x (H) 486 x (D) 651
Dimensions - Including packing (in mm)	(W) 986 x (H) 510 x (D) 679
Net Weight (kgs)	69
Shipping Weight (kgs)	74

Mid highs measured on-axis in full space @ one watt/1-meter using band-limited pink noise in the en-devour to continuously improve the product with design refinements introduced into existing products. Any current CSC product may differ in some respect from its published description. However, this will always equal or exceed the original design specifications. Every CSC Product is built to the highest standards and tested to ensure that it meets the performance criteria specified.

